

## IN THE CLAIMS

Claims 1, 2, 7-12, and 21-26 are pending.

Claims 3-6 and 13-20 are canceled herein without prejudice to or disclaimer of the subject matter recited therein.

Claims 1 and 7 are amended.

Claims 21-26 are newly added.

1. (Currently Amended) An apparatus for pulling line through a raceway, the apparatus comprising:

a plurality of linked mounts repositionable relative to one another; and

at least one attachment member attached to an end of the plurality of linked mounts and adapted to releasably attach to an end of a fish tape,

wherein the at least one attachment member comprises a threaded connector having threads positioned at an end of the threaded connector and a loop at an attachment end attached to the plurality of linked mounts.

2. (Original) The apparatus of claim 1, wherein the at least one attachment member releasably attaches to the plurality of linked mounts.

3-6. (Canceled).

7. **(Currently Amended)** The apparatus of claim 1 ~~claim-6~~, wherein the threaded connector has grips positioned about an outer surface of the threaded connector.

8. **(Original)** The apparatus of claim 7, wherein the grips are positioned longitudinally along the outer surface of the threaded connector.

9. **(Original)** The apparatus of claim 1, wherein at least one linked mount of the plurality of linked mounts has the line positioned therethrough and releasably secured thereto.

10. **(Original)** The apparatus of claim 9, wherein the line is releasably secured to the at least one linked mount with tape.

11. **(Original)** The apparatus of claim 1, wherein the plurality of linked mounts has an inner dimension sized to receive the line and an outer dimension sized to fit within the raceway.

12. **(Original)** The apparatus of claim 11, wherein the at least one attachment member is sized to fit within the raceway.

13-20. **(Canceled).**

21. **(New)** An apparatus for pulling line through a raceway, the apparatus comprising:

a plurality of linked mounts repositionable relative to one another, the linked mounts being connected by linking with adjacent linked mounts; and

multiple attachment members attached to the linked mounts, at least one attachment member being attached to a first end of the plurality of linked mounts and adapted to releasably attach to an end of a fish tape, and at least one other attachment member being attached to a second end of the plurality of linked mounts opposite the first end,

wherein at least one of the attachment members comprises a threaded connector having threads for attachment with the end of the fish tape and a loop attached to the linked mounts, and

wherein the threaded connector has grips positioned about an outer surface of the threaded connector, the grips being positioned longitudinally along the outer surface of the threaded connector.

22. (New) The apparatus of claim 21, wherein at least one other of the attachment members comprises a hook having a loop attached to the end of the plurality of linked mounts.

23. (New) The apparatus of claim 22, further comprising a line coupled to at least one linked mount of the plurality of linked mounts, the line being folded through the linked mount and the line being secured to itself by tape.

24. (New) The apparatus of claim 22, further comprising at least two lines, each line being coupled to a different one of the plurality of linked mounts, the lines being folded through the respective linked mount and each line being secured to itself by tape.

25. (New) The apparatus of claim 21, wherein the plurality of linked mounts has an inner dimension sized to receive the line and an outer dimension sized to fit within the raceway.

26. (New) The apparatus of claim 21, wherein the attachment members are sized to fit within the raceway.